

National Institute of Food Technology Entrepreneurship and Management (NIFTEM)
Plot No 97, Sector-56, HSIIDC Industrial Estate, Kundli-131028, District-Sonepat (Haryana)
Phone No. 130-2281000, 2219759-64, Fax No. 0130-2219772
GST No. 06AAAAN9069M1Z1

N/GeA/EC/2019/45/36

Dated:09.02.2022

e-Auction-Notice

INVITATION TO BID

SALE OF CONDEMNED/UN-SERVICEABLE (ELECTRICAL ITEMS) "AS IS WHERE IS BASIS"

1. The Registrar, National Institute of Food Technology Entrepreneurship and Management, Plot No 97, Sector-56, HSIIDC Industrial Estate, Kundli-131028, District-Sonepat (Haryana), invites Sealed Bids for sale of Condemned/Un-Serviceable Electrical items, **(as per Schedule of Sale enclosed at Annexure-I)**. The bidders may go through the Terms and Conditions carefully. In case any bidder fails to follow any one or more of these conditions, their offer shall be summarily rejected.
2. The prospective **bidders may satisfy themselves** about the quantity & condition of the items physically available by visiting the site **before bidding between 02:00 P.M. and 04:00 PM from 09/02/2022 to 16/02/2022**. The Registrar, National Institute of Food Technology Entrepreneurship and Management, reserves the right to cancel the bidding process any time, or, reject any or all the Bids without assigning any reason.
3. The Bids should be made in one sealed Envelope which should be clearly marked as **"Bid for auction of Condemned/Un-Serviceable Electrical items & "Date of Opening"**.
4. **Last Date of Submission** – Last date of Receipt of Sealed Bid Documents at NIFTEM, Kundli is **21.02.2022 by 4:30 P.M.**, only by hand (at NIFTEM Reception). Bids by E-mail/Fax/courier/Post will not be accepted. "Late Bids", for any reason whatsoever, will not be entertained/ taken into account, without assigning any reason thereof.
5. **Date & Time of Opening** – The Bids will be opened by the nominated committee on same day i.e., **21/02/2022 at 5:00 P.M.**, at 1st Floor, Bidder Meeting Room. The Bidders are requested to be present during opening of the Bids along with their ID Proof.
6. **Acceptance of Offer** – The Bids accompanied with above conditions, will only be considered. For calculation of Highest (H-1) responsive Bidder, the total value excluding GST quoted for **Payment to NIFTEM, Kundli**, by the successful Bidder to the Concerned Authorities/parties, will be taken into consideration. Further acceptance of H-1 Bid will be subjected to it being **equal or higher than** the reserve price. In case of any tie in Bid rates/value offered, negotiation will be held.

7. **EMD:** - Each bid must contain Bank Draft of **Rs.12, 000/- (Rupees Twelve Thousand Only)** as Refundable EMD from any nationalized bank drawn in favour of **NIFTEM** Payable at New Delhi. Bids without EMD will be rejected.
8. Each tender must contain the Total value excluding GST not only in figures but also in words (in English). In case of any Clerical/Typing error, value written in “words” will only be considered for assessing the H-1 Bidder and subsequent process.
9. Other Terms & Condition of Sale are attached at Annexure-II.
10. Please use Annexure-I for quoting rates.
11. The H1 bidder has to submit 100% of bid value Plus GST@18% extra in form of D.D/NEFT/RTGS in favor of NIFTEM within 03 (Three) working days after finalization of bid by the committee.
12. Each bidder must enclose their **PAN, GST and Aadhar Number** along with bid.
13. Cost of dismantling, lifting and other incidental charges will be borne by the bidder. If any damage or loss occurs to the institute premises during the process of dismantling or lifting the condemned equipment, the competent authority, NIFTEM, Kundli will charge the cost of damage/loss from the bidder.
14. A tentative list of Condemned/Un-Serviceable Electrical items, quantity etc. is enclosed at Annexure-III. Condemned/Un-Serviceable Electrical items will be sold “**As is where is basis**”.

Registrar,
NIFTEM, Kundli

Encl:

- (a) Schedule of Sale at Annexure-I.
- (b) Other Terms and Conditions of Auction at Annexure-II.
- (c) A tentative list of Condemned/Un-Serviceable Electrical items at Annexure-III.

National Institute of Food Technology Entrepreneurship and Management (NIFTEM)

Plot No 97, Sector-56, HSIIDC Industrial Estate, Kundli-131028, District-Sonepat (Haryana)

Phone No. 130-2281000, 2219759-64, Fax No. 0130-2219772

GST No. 06AAAAN9069M1Z1

ANNEXURE-I

Serial No.	Particulars	Offered Price (Rs.) (In figures) Excluding GST	Price in words(Rs.) Excluding GST
1.	Condemned/Un-Serviceable/old/Used Electrical items (As per Annexure - III)		

1. D.D for EMD Yes/NO
2. Pan Attached Yes/NO
3. GST Attached Yes/NO
4. Aadhar Attached Yes/NO

Date:

Place

Signature of Bidder

Name:

Mobile No.

National Institute of Food Technology Entrepreneurship and Management (NIFTEM)
Plot No 97, Sector-56, HSIIDC Industrial Estate, Kundli-131028, District-Sonepat (Haryana)
Phone No. 130-2281000, 2219759-64, Fax No. 0130-2219772
GST No. 06AAAAN9069M1Z1

Annexure-II

OTHER TERMS AND CONDITIONS OF SALE

(To be signed by the Bidder and Returned with the offer)

1. Bid should be preferably, typewritten and every correction in the Bid should invariably be signed by the Bidder, failing which, the Bid is liable to be rejected.
2. The Bidder should ensure that the Bid offered fully meets the conditions laid down by the Institute. If at any stage it is noted that the Bid offered does not meet the NIFTEM conditions, The Competent Authority of NIFTEM reserves the right to take any decision including cancellation of the Bid process/acceptance of offer etc. Any dispute in this regard concerning any Terms and Conditions of the Bid documents and/or the sale of items, will be subject to Sonepat Jurisdiction only.
3. No Bidder shall be allowed at any time on any ground whatsoever, to revise or modify the rates quoted by him, nor he will be allowed to withdraw the offer quoted.
4. **Balance Payment** : Balance amount of the accepted Bid is to be paid by the successful Bidder within 03 (Three) Days from the Date of "Award of work" in the form of a A/c Payee Demand Draft from any Nationalized Bank or NEFT/RTGS, in favour of "NIFTEM" and payable at New Delhi. Failure to do so may result in forfeiture of EMD Rs 12,000/-(Rupees Twelve Thousand Only) and cancellation of award of work.
5. All goods mentioned in the "Award of work" shall be removed by the Bidder at its own cost and risk from NIFTEM premises **on or before 21/02/2022**.
6. **All the pages of tender document and Terms & Conditions are to be duly signed and sealed by the Vendor and returned/attached** with the Bid, failing which the Bid will be summarily rejected.

Registrar,
NIFTEM, Kundli

Annexure-III

Identified Obsolete/Condemn Electrical items at NIFTEM Campus				
Sr.No.	Description	Qty.	Current Rate (Rs.)	Remarks
1	Geysers Parts			
A	Geysers Element	360 No's	200	Damaged
B	Geysers Tank 25 Ltr	208 No's	866.25	Damaged/leaked
C	Thermostat	137 No's	150	Damaged
D	Thermo cut	121 No's	111.38	Damaged
E	Geysers Assembly	83 No's	111.38	Damaged
F	Geysers Complete Set	143 No's	1050	Damaged
G	Geysers Element 03 Ltr	27 No's	295	Damaged
H	Geysers Body	11 No's	650	Damaged
I	03 Ltr Geysers complete	13 No's	1050	Damaged
J	Geysers Tank 03 Ltr	04 Nos	NA	Damaged
2	Batteries			
A	12 AH Battery	30 No's	1200	Dead Batteries
B	110 AH Battery	11 No's	6558	Dead Batteries
C	150 AH Battery	13 No's	9000	Dead Batteries
D	165 AH Battery	04 No's	13225	Dead Batteries
E	65 AH Battery	02 No's	6682	Dead Batteries
F	3.2 AH Battery	01 No's	600	Dead Batteries
3	Current transformer			
A	85/5 Amp CT 33KV	09 No's	27500	Faulty
B	25/5 AMP CT 11KV	06 No's	NA	Faulty
C	60/5 AMP CT 11KV	03 No's	NA	Faulty
D	33KV CPT	01 No's	NA	Faulty
F	33KV PT	01 No's	69000	Faulty
	11KV/110vV PT	02 No,s	NA	Faulty
4	CFL			
c	36 Watt 4 pin CFL	4480 No's	110	obsolete
C	11 Watt 2 pin CFL	881No's	68.7	obsolete
A	18 Watt 4pin CFL	235 No's	95	obsolete
B	13 Watt 4pin CFL	89 No's	90	obsolete
5	Light			
A	2x2 Full fitting 36 Watt with chock	2460 No's	NA	obsolete
B	28 Watt T-5 Tube	2064 No's	128.38	obsolete

D	36 Watt Tube Rod	400 No's	43.32	obsolete
E	150 Watt light	203 No's	NA	obsolete
F	18 Watt Philips emergency light	134 No's	NA	Dead Batteries/obsolete
G	150 Watt light	107 No's	NA	obsolete
K	36 Watt Tube full fitting	40 No's	NA	obsolete
L	T-5 Fitting	38 No's	NA	obsolete
M	400 Watt Bajaj light	18 No's	984	obsolete
N	1000 Watt light	12 No's	NA	obsolete
O	09 Watt bulb	11 No's	NA	obsolete
P	500 Watt Halogen light	04 No's	NA	obsolete
6	Chock			
A	36 Watt Chock	380 No's	408.8	obsolete
B	18 Watt chock	145 No's	198	obsolete
7	Exhaust & Pedestrian Fan			
A	Exhaust fan Motor	40 No's	777	Faulty
B	Fan Regulator	27 No's	265.5	Faulty
C	Wall Mounted Fan	05 No's	1385	Damaged/Faulty
D	Exhaust fan Frame	04 No's	NA	Damaged/Faulty
E	24 " Exhaust fan blade	03 No's	225	Damaged/Faulty
F	Exhaust Fan 12"	03 No's	810	Damaged/Faulty
G	Pedestal Fan Motor	07 No's	726.52	Faulty
8	Switch & Socket			
A	4x3 & 8x3 Phase Plate	204	38.37	Faulty
B	16 & 06 Amp Switch	142 No's	59.4	Faulty
C	Socket 16 & 06 Amp	87 No's	89.1	Faulty
D	20Amp Industrial Socket	09 No's	684.1	Faulty
E	Industrial Top 20 Amp	12 No's	684.1	Faulty
F	3 Pin 6 Amp Top Plug	25 No's	43.32	Faulty
G	3 Pin 16 Amp Top Plug	07 Nos	NA	Faulty
H	Combine Box	07 Nos	NA	Faulty
I	Gang Box 8*3	05 Nos	NA	Faulty
9	Cable			
A	300 Sqmm 3.5 core Cable	306 RM (Approximately)	1188	Faulty/Shorted
B	300 Sqmm Single Core Wire	25 RM (Approximately)	NA	Faulty/Shorted

C	185 Sqmm 3.5 Core Cable	132 RM (Approximately)	768.49	Faulty/Shorted
D	95 Sqmm 4 core Cable	80 RM (Approximately)	417	Faulty/Shorted
E	70 Sqmm 3 Core Cable	24 RM (Approximately)	NA	Faulty/Shorted
G	50 Sqmm 3core cable	45 RM (Approximately)	246.27	Faulty/Shorted
H	50 Sqmm 3.5 Core Cable	182 RM (Approximately)	246.27	Faulty/Shorted
I	25 sqmm 3.5 Core cable	83 RM (Approximately)	34	Faulty/Shorted
J	16 Sqmm 4 Coble cable	149 RM (Approximately)	32	Faulty/Shorted
K	4 Sqmm 2 core cable	75 RM (Approximately)	29	Faulty/Shorted
10	TPN/RCCB & MCB,Relay			
A	TPN 63Amp &40 Amp	92 No's	800	Faulty/Shorted
B	MCB 10,20 & 25Amp	12 No's	148.5	Faulty/Shorted
C	Relay	02 Nos	NA	Faulty/Shorted
D	MCB 40 Amp	02 Nos	NA	Faulty/Shorted
E	RCCB 40Amp	18 No's	NA	Faulty/Shorted
11	Panel			
A	Star Delta Panel	03 No's	NA	Faulty
B	DG cantrol Panel	01 No's	437306	Faulty
C	Stabilizer, 4kva	01 No's	NA	Faulty/Shorted
D	Panel Indicator	10 Nos	NA	Faulty
12	Capacitor			
A	1.5,2.0 & 2.5 Mfd Capacitor	23 No's	18	Faulty
B	Capacitor 25 KVR	30 Nos	NA	Faulty
13	Invertors/UPS			
A	Computer UPS	03 No's	NA	Faulty
B	3 KVA Invertors	01 No's	NA	Faulty

14	Fire Items			
A	Smoke Detector	447 No's	850	Faulty
B	Fire Extinguisher CO2 4.5 KG	28 No's	4800	Damaged/leaked
C	Fire Extinguisher ABC 05 KG	04No's	NA	Damaged/leaked
D	Fire Extinguisher ABC 02 KG	04 Nos	NA	Damaged/leaked
E	Hose with SS coupling	79 No's	1500	Damaged/leaked
F	Brass Coupling Hose	97 No's	NA	Damaged/leaked
G	Without Coupling Hose	15 No's	NA	Damaged/leaked
H	Fire Extinguisher Water Type 09 Ltr	01 No's	NA	Faulty
I	Hydrant Valve Brass	02 Nos	NA	Faulty
J	NRV 250 mm	01 Nos	NA	Faulty
K	NRV 100 mm	01 Nos	NA	Faulty
L	Fire Panel 08 Zone	07 Nos	NA	Faulty
M	Fire Panel 02 Zone	01 Nos	NA	Faulty
N	Fireman X	02 Nos	NA	Faulty
O	Sprinkler	50 Nos	NA	Faulty
P	Extinguisher Discharge Pipe	37 Nos	NA	Faulty
15	DG Set			
A	DG 20 KVA	01 Nos	NA	Faulty
B	DG 30 KVA	01 Nos	NA	Faulty
16	Air Conditioner			
A	OutDoor AC	03 Nos	NA	Faulty
B	Indoor AC	03 Nos	NA	Faulty
17	RO Water System			
A	Complete RO water System	04 NOs	NA	Faulty
B	Watercooler	03 NOs	NA	Faulty
18	Hydra			
A	Hydra (For Street Light)	01 Nos	NA	Faulty